



GPWV2.E137077

Fans, Electric - Component

[Page Bottom](#)

Fans, Electric - Component

[See General Information for Fans, Electric - Component](#)

MECHATRONICS INC

E137077

8152 304TH AVE SE
PO BOX 5012
PRESTON, WA 98050 USA

Models MB6010L12Byy-zz, MB6010L12Dyy-zz, MB6010L12Cyy-zz, MB6010M12Byy-zz, MB6010M12Dyy-zz, MB6010M12Cyy-zz, MB6010H12Byy-zz, MB6010H12Dyy-zz, MB6010H12Cyy-zz, MB6010E12Byy-zz, MB6010E12Dyy-zz, MB6010E12Cyy-zz, MB6010X12Byy-zz, MB6010X12Dyy-zz, MB6010X12Cyy-zz, where yy=alphanumeric or blank, zz=alphanumeric or blank.

Models F4020S12, F4020L12, F4020M12, F4020H12, F4020E12, F6025S12, F6025L12, F6025M12, F6025H12, F6025E12, F6025S24, F6025L24, F6025H24, F6025E24, AEF9225L12, AEF9225M12, AEF9225H12, AEF9225E12, AEF9225S24, AEF9225L24, AEF9225M24, AEF9225H24, AEF9225E24, E1225S12, E1225L12, E1225M12, E1225H12, E1225E12, E1225S24, E1225L24, E1225M24, E1225H24, E1225E24 may be provided with suffix C.

Models F6025, F8025 followed by S12, L12, M12, H12, E12, S24, L24, M24, H24, E24.

Model F1238 followed by S12, L12, M12, H12, E12, S24, L24, M24, H24, E24, S48, L48, M48, H48, E48, may be followed by optional suffix letters and/or numbers.

Models UF12A12, -12A23, -12B12, -12B23, -92B12, -92B23, -80A12, -80A23, -80B12, -80B23.

Models F4010M05C, F4010M05D, F4010M12C, F4010M12D, F4010H12C, F4040H12D.

Models F6025X12, F6025X24, F8025X12, F8025X24, E9225X12, E9225X24, F1238X12, F1238X24 followed by B or D, may be followed by 1 or 2; Model B1232 followed by L, M or H, followed by 12 or 24, followed by B or D, may be followed by 1 or 2.

Models MFA40, -60, -80, -92 may be followed by 10, 25, may be followed by H, L, M, may be followed by 12, 24, may be followed by X.

Models UF15PC12, UF15PC23, UF12A12/23, UF15AC12, UF15AC23, UF15AC12/23.

Model A1238 followed by L, M, H, E, followed by 48, followed by B, C, D.

Models A6025, A8025 followed by S, L, M, H, followed by 12 or 24, followed by B, C, D.

Model A9225 followed by S, L, M, followed by 12 or 24, followed by B, C, D.

Models E1238, E9225, E1225 followed by S, L, M, followed by 05.

Models E1225, E9225 followed by M, H, E, followed by 48.

Model F1238 followed by S, L, M, H, E, followed by 12, 24, 48.

Model F1238 followed by X, followed by 12, 24.

Models F6025, F8025 followed by S, L, M, H, E, followed by 05, 12, 24, 48.

Model F6025 followed by S35, followed by B or D.

Model E9225 followed by X, followed by 12, 24, followed by B or D.

Model G1225 followed by S, L, M, H, E, followed by 12, 24, followed by B, C, D.

Model G9225 followed by S, L, M, H, E, X, followed by 12, 24, followed by B, D, C.

Models F6025, F8025 followed by H, E, X, followed by 12, 24, followed by B, followed by 3, 4.

Model E9225 followed by H, E, X, followed by 12, 24, followed by B, followed by 3, 4.

Model E1225 followed by M, H, E, followed by 12, 24, followed by B, followed by 3, 4.

Model F1238 followed by M, H, E, followed by 12, 24, followed by B, followed by 3, 4.

Model G9225 followed by M, H, E, X, followed by 12, followed by B, C, D, followed by 3, 4.

Models F6025, F8025 followed by S, L, M, H, E, followed by 05.

Model F1238 followed by S, L, M, followed by 05.

Model E9225 followed by S, L, M, followed by 05 or M, H, E, followed by 48 or X12, X24.

Model E1225 followed by S, L, M, followed by 05 or M, H, E, followed by 48.

Models F6025, F8025 followed by H, E, followed by 12, 24, followed by B3, B4.

Model E9225 followed by H, E, followed by 12, 24, followed by B3, B4.

Model F6025 followed by X, followed by 12, 24, followed by B3, B4.

Model E9225 followed by X, followed by 12, 24, followed by B3 or B4.

Model E1225 followed by M, H, E, followed by 12, 24, followed by B3 or B4.

Model F1238 followed by M, H, E, followed by 12, 24, followed by B3 or B4.

Model G9225 followed by M, H, E, X, followed by 12, followed by 12, followed by 3 or 4.

Model F8025E24 followed by B/C/D, followed by 2/5.

Model A1238 followed by L, M, H or E, followed by B or BT, may be followed by 1.

Model A9225 followed by L or M, followed by 12 or 24, followed by B or D.

Model A9225 followed by H or E, followed by 48, followed by B or BT, may be followed by 1.

Model A9225 followed by H/E/X, followed by 48, followed by B/C/D, may be followed by 1.

Models A1225 followed by H or E, followed by 48, followed by B or BT, may be followed by 1.

Model A1225 followed by H/E, followed by 48, followed by B/C/D, may be followed by 1.

Models F2510L05C, F2510H05C, F2510H12C, F4510M05C, F4510M05D, F4510M12C, FS4510M12D, F5010M05C, F5010M05D, F5010L12C, F5010L12D, F5010M12C, F5010M12D.

Models MA2507X05YY-ZZ, MA2507X12YY-ZZ, MA3010X05YY-ZZ, MA3010X12YY-ZZ, MA2506X12YY-ZZ, MA4010X12YY-ZZ, MA5210X12YY-ZZ, M5010X12YY-ZZ, MA6023X12YY-ZZ, MA3507X12YY-ZZ-W, MA1238X12YY-ZZ-W, MB3006X05YY-ZZ, MB3006X12YY-ZZ, M5210X05YY-ZZ-W, M5010X05YY-ZZ-W, MA3507X05YY-ZZ-W, MA4010X05YY-ZZ-W, MA2506X05YY-ZZ, where X may be A thru D, S, L, M, H, E or X and YY, ZZ, W may be A thru Z, 0 thru 9 or blank.

Models MA8025X12YYY-ZZZ-WWW-H, MA9225X12YYY-ZZZ-WWW-H, where X may be S, L, M, H, E or X; Y, W and Z may be A thru Z, 0 thru 9 or blank;

Models MB6015G12YY-ZZ-W, MB8020G12YY-ZZ-W, MB9220G12YY-ZZ-W, MB1225G12YY-ZZ-W, where G may be S, L, M or H and Y, W and Z may be A thru Z, 0 thru 9 or blank, H may be (E) or blank.

Models MA1751L12(Q)(W)-FS, MA1751M12(Q)(W)-FS, MA1751H12(Q)(W)-FS, MA1751E12(Q)(W)-FS, MA1751L24(Q)(W)-FS, MA1751M24(Q)(W)-FS, MA1751H24(Q)(W)-FS, MA1751E24(Q)(W)-FS, MA1751X24(Q)(W)-FS, MA1751L48(Q)(W)-FS, MA1751M48(Q)(W)-FS, MA1751H48(Q)(W)-FS, MA1751E48(Q)(W)-FS, MA1751X48(Q)(W)-FS, MA1751U48(Q)(W)-FS, where (Q) may be B, C or D and (W) may be 0 thru 9 or A thru Z or blank.

Models UF13A12, UF13A23, UF13A12/23, UF15KC23, UF15KC12/23, UF15PC12/23, UF12AR12, UF12AR23, UF17PC12, UF17PC23.

Models UF-15AC12, UF15AC12/23, UF15AC23.

Models UF25GC12, UF25GC12B, UF25GC12/23, UF25GC-12/23B, UF25GC23, UF25GC23B.

Models UF15KM12, UF15KM23, UF15KMR12, UF15KMR23, UF12AM12, UF12AM23, UF92AM12, UF92AM23, UF60D12, UF60D23, UF15KCR23, UF15PC12F, UF15PC23F, UF-9029-12, UF-9029-23, UF15KCR12/23, UF12AM12F, UF12AM23F.

Models UF15KCR12, UF18JC12, UF18JC23, UF16FC12, UF16FC23, UF25HC12, UF25HC23.

Models UF220APA12, UF220APA23, UF190APA12, UF190APA23, UF180BAB12, UF180BAB23.

Models UF15P12, UF15P23, UF17P12, UF17P23.

Model UF followed by 80A12, 80B12, 92B12, 12A12, 12AM12, 12AR12, 12B12, 13A12, 15AC12, 15PC12, 17PC12, 25GC12, 15KCR12.

Models MD4028S12(Y)(Z)(Z) (W)(W), MD4028L12(Y)(Z)(Z) (W)(W), MD4028M12(Y)(Z)(Z) (W)(W), MD4028H12(Y)(Z)(Z) (W)(W), MD4028E12(Y)(Z)(Z) (W)(W), MD4028X12(Y)(Z)(Z) (W)(W), where Y may be B, C or D, and Z and W may be 0 thru 9, A thru Z or blank.

Model MD4028E24(Y)(Z), where Y may be B, C or D, and Z may be 0 thru 9, A thru Z or blank.

Models MD4028U12(Y) (Z)(Z) (W)(W), MD4028V12(Y) (Z)(Z) (W)(W), MA4010L24(Y) (Z)(Z) (W)(W), MA4010M24(Y) (Z)(Z) (W)(W), MA4010H24(Y) (Z) (Z) (W)(W), where (Y) may be B, S or BS, (Z) and (W) may be 0 thru 9 or A thru Z or blank.

Model MC8038(X)24(Y) (Z)(Z)-(W)(W), where (X) may be L, M, H, E, X or U, (Y) may be B, (Z) may be 0 thru 9, A thru Z or blank, (W) may be 0 thru 9, A thru Z or blank.

Models MC8038L12(Y) (Z)(Z)-(W)(W), MC8038M12(Y) (Z)(Z)-(W)(W), MC8038H12(Y) (Z)(Z)-(W)(W), MC8038E12(Y) (Z)(Z)-(W)(W), MC8038X12(Y) (Z) (Z)-(W)(W), MC8038U12(Y) (Z)(Z)-(W)(W), where (Y) may be B, (Z) and (W) may be 0 thru 9, A thru Z or blank.

Models ME6038S12B(Z)(Z)-(W)(W), ME6038L12B(Z)(Z)-(W)(W), ME6038M12B(Z)(Z)-(W)(W), ME6038H12B(Z)(Z)-(W)(W), ME6038E12B(Z)(Z)-(W)(W), ME6038X12B(Z)(Z)-(W)(W), ME6038U12B(Z)(Z)-(W)(W), where (Z) and (W) may be 0 thru 9, A thru Z or blank, (Y) may be B.

Models MD9238L12(Y) (Z)(Z)-(W)(W), MD9238M12(Y) (Z)(Z)-(W)(W), MD9238H12(Y) (Z)(Z)-(W)(W), MD9238E12(Y) (Z)(Z)-(W)(W), MD9238X12(Y) (Z) (Z)-(W)(W), where (Y) may be B, (Z) and (W) may be 0 thru 9, A thru Z or blank.

Model E1225 or E9225 followed by S, L, M, H, E or X, followed by 05, 12, 24 or 48, followed by B, C or D, may be followed by 1 or 2.

Model F1238 followed by S, L, M, H or E, followed by 12, 24 or 48, followed by B, C or D, followed by 1 or 2.

Model G1238 followed by S, L, M, H or E, followed by 12, 24 or 48, followed by B, C or D, followed by 1 or 2.

Models UF200BMB12, UF200BMB23, UF250BMB12, UF250BMB23, UF25GCE12, UF25GCE23, UF80A12/23, UF80B12/23, UF92B12/23, UF12B12/23.

Fans, Models UX15P23-B(Y)H, UX15P23-B(Y)M, UX15P23-B(Y)L, UX15P23-S(Y)H, UX15P23-S(Y)M, UX15P23-S(Y)L, UX12A12-B(Y)H, UX12A12-B(Y)M, UX12A12-B(Y)L, UX12A12-S(Y)H, UX12A12-S(Y)M, UX12A12-S(Y)L, UX15P12-B(Y)H, UX15P12-B(Y)M, UX15P12-B(Y)L, where Y may be T or W.

Models MXA1225H12B, MXA1225H12D, MXA1238H12B, MXA1238H12D, MXA4020H12B, MXA1225L12B, MXA1238L12B, MXA4020L12B, MXA1225M12B, MXA1238M12B.

Models UF15KC12, UF180APA12, UF180APA23, UF250APA12, UF250APA23, UF225(99)APA12, UF225(99)APA23, UF225(85)APA12, UF225(85)APA23, UF225(69)APA12, UF225(69)APA23, UF92B23, UF12A23, UF90DPB12, UF90DPB23, UF25GCA12, UF12AE12, UF12AE23, UF15PE12, UF18JC12/23, UF25HC12/23, UF318AAA12, UF318AAA23.

AC fans Models UX15P(W)-(V)(Q)(S), UX12A(W)-(V)(Q)(S), UX(Z)(W)-B(Q)(S), UX(O)(W)-(V)(Q)(S), UX12AC(W)-(V)(Q)(S), UX12A23-(V)(Q)(R), where (W) may be 12 or 23, (V) may be B or S, (Q) may be T or W, (S) may be H or M, (Z) may be 15AC, 16ACR, 15PC, 17PC, 15KCR, (O) may be 17PC or 15KR, (R) may be H, M or L.

Model UF25GCA23.

DC fans, Models MXA1232H12B, MXA1232H24B, MXA1232H48B, MXA1232H12D, MXA1232H24D, MXA1232H48D, MXA1232L12B, MXA1232L24B, MXA1232L48B, MXA1232L12D, MXA1232L24D, MXA1232L48D, MXA1232M12B, MXA1232M24B, MXA1232M48B, MXA1232M12D, MXA1232M24D, MXA1232M48D.

Model MXA1225(Y)24(Z), where (Y) may be H, M or L, (Z) may be D or B.

Model MC9238x12Byy, where x may be L, M, H, E or X, yy may be 1 thru 9, A thru Z or blank.

Models MA6023(A)24(B)(Z), MA8020(A)(B)(Z), where (A) may be S, L or M, (B) may be B or D, (Z) may be 1 thru 9, A thru Z or blank.

Models MA8016(A)24(C)(Z), MA9225(A)24(C)(Z), where (A) may be S, L or M, (C) may be B, C or D, (Z) may be 1 thru 9, A thru Z or blank.

Model MD6020(X)12(Y)(Z)-(Z)(Z)(Z), where (X) may be S, L, M, H or E, (Y) may be B, C or D, (Z) may be 0 thru 9, A thru Z or blank.

Model MA4020(X)12(Y)(Z), where (X) may be M, H or E, (Y) may be B, C or D, (Z) may be 1 thru 9, A thru Z or blank.

Models MA4020S12(Y)(Z)(W), MA4020L12(Y)(Z)(W), MA4020S12(Y)(W)(Z), MA4020L12(Y)(W)(Z), where (Y) may be B, C or D, (Z) may be 1 thru 9, A thru Z or blank, (W) may be 1 thru 9, A thru Z or blank.

Models MA4020M12(Y)(Z), MA4020H12(Y)(Z), MA4020E12(Y)(Z), where (Y) may be B, C or D, (Z) may be 1 thru 9, A thru Z or blank.

Model MC1238(X)12B(Y), where (X) may be S, L, M or H, (Y) may be 0 thru 9, A thru Z or blank.

Models MD5020(X)12(Y)(Z)-(Z)(W)(W)(W), MD5020(X)24(Y)(Z)-(Z)(W)(W)(W), where (X) may be S, L, M, H or E, (Y) may be B, C or D, (Z) and (W) may be 0 thru 9, A thru Z or blank.

Models MA6023S12(Y)(Z)-(W)(W), MA6023L12(Y)(Z)-(W)(W), MA6023M12(Y)(Z)-(W)(W), MA6023H12(Y)(Z)-(W)(W), MA6023E12(Y)(Z)-(W)(W), MA6025S12(Y)(Z)-(W)(W), MA6025L12(Y)(Z)-(W)(W), MA6025M12(Y)(Z)-(W)(W), MA6025H12(Y)(Z)-(W)(W), MA6025E12(Y)(Z)-(W)(W), MA6025X12(Y)(Z)-(W)(W), MA6025U12(Y)(Z)-(W)(W), MA6023S12(Y)(Z)(Z)(W)(W), MA6025S12(Y)(Z)(Z)(W)(W), MA6025S24(Y)(Z)-(Z)(W)(W), MA6025L24(Y)(Z)-(Z)(W)(W), MA6025M24(Y)(Z)-(Z)(W)(W), MA6025H24(Y)(Z)-(Z)(W)(W), MA6025E24(Y)(Z)-(Z)(W)(W), where (Y) may be B, C or D, (Z) and (W) may be 0 thru 9, A thru Z or blank.

Models MC3510S05(Z)(W), MC3510L05(Z)(W), MC3510M05(Z)(W), MC3510H05(Z)(W), MC3510S12(Z)(W), MC3510L12(Z)(W), MC3510M12(Z)(W), MC3510H12(Z)(W), where (Z) may be B, C or D, (W) may be 0 thru 9, A thru Z or blank.

Models MA7015S12(Y)(W)(W)(W)(H), MA7015L12(Y)(W)(W)(W)(H), MA7015M12(Y)(W)(W)(W)(H), MA7015H12(Y)(W)(W)(W)(H), MA7015E12(Y)(W)(W)(W)(H), where (Y) may be B, C or D, (W) may be 0 thru 9, A thru Z or blank, (H) may be (E) or blank.

Model MA5511(X)05(Y)(Z)-(Z)(W)(W), where (X) may be S, L, M or H, (Y) may be B, C or D, (Z) and (W) may be 0 thru 9, A thru Z or blank.

Model MA4510(X)05(Y)(Z)-(Z)(W)(W), where (X) may be S, L, or M, (Y) may be B, C or D, (Z) and (W) may be 0 thru 9, A thru Z or blank.

Models ME9232(X)12(Y)(Z)-(Z)(W)(W), MC9238(X)12(Y)(Z)-(W)(W), MC9225(X)12(Y)-(Z)(Z)-(W)(W), where (X) may be S, L, M, H, E, X or U, (Y) may be B, C or D, (Z) and (W) may be 0 thru 9, A thru Z or blank.

Model ME7038(X)12(Y)(Z)-(Z)(W)(W), where (X) may be S, L, M, H, E, or X, (Y) may be B, (Z) and (W) may be 0 thru 9, A thru Z or blank.

Model MB7020(X)12(Y)(Z)-(Z)(W)(W), where (X) may be S, L, M, H, E, X, U or V, (Y) may be B, (Z) and (W) may be 0 thru 9, A thru Z or blank.

Model MA3828(X)12B(Z)-(Z)(W)(W), where (X) may be S, L, M, H, E, X or U, (Z) and (W) may be 0 thru 9, A thru Z or blank.

Model MD1238(A)(X)B(Z)-(Z)(W)(W), where (A) may be L, M, H, E or X, (X) may be 12, 24 or 48, (Z) and (W) may be 0 thru 9, A thru Z or blank.

Model MXB5015(A)(B)(C), where (A) may be L, M or H; (B) may be 05, 12 or 24; (C) may be B or D.

Model B7530(A)(B)(C), where (A) may be S, L, M, H or E; (B) may be 12 or 24; (C) may be B or D.

Models MXB9733(Z)12(Y), MXB9733(Z)24(Y), MXB9733(Z)48(Y), where (Z) may be H, M or L; (Y) may be B or D.

Single speed. Models G1238-S/L/M/H/E-12/24-B/C/D-1/2, G1338-S/L/M/H-12/24/48-B/C/D-1/2, G4020-S/L/M/H/E-5/12/24-B/C/D-1/2, G4028-M/H-12-B/C/D-1/2, G6015-S/L/M/H/E/X-5/12/24-B/C/D-1/2, G8015-S/L/M/H/E-B/C/D-1/2, G8032/S/L/M/E/X-12-B/C/D-1/2, G8032/S/L/M/H/E-24-B/C/D-12/, G9232-S/L/M/H/E/X-5/12/24-B/C/D-1/2, where "-" means "followed-by", "/" means "or".

AC fans, Models UM25GC23, UM22Y23, UM18FC23, UM12A23.

AC component fan, Model UM20ZC23.

DC component fan, Model UM25GC12.

Fans, Models UF160DPB12, UF160DBP23, UF300BNA12, UF300BNA23, UF360AAA12, UF360AAA23.

DC fans, Models MQ4028(X)12(Y), MQ4028(Z)24(Y), Where (X) may be E, H, M or L; (Z) may be H, M, or L; (Y) may be B or D.

, Models MQ8038(X)12(Y), MQ8038(X)24(Y), MQ8038(X)48(Y), Where (X) may be E, H, M or L; (Y) may be B or D.

, Model MQ4056(X)12B, Where (X) may be E, H, M or L.

, Models MQ6038(X)12(Y), MQ6038(X)24(Y), MQ6038(X)48(Y), Where (X) may be E, H, M or L; (Y) may be B or D.

DC low voltage fans, Models MQ1238(Z)12(Y), MQ1238(Z)24(Y), MQ1238(X)48(Y), Where (X) may be E, H, M or L; (Z) may be H, M, or L; (Y) may be B or D.

DC fans, Model MD4028X24(Y)(W), where (Y) may be B, S or C, (W) may be 0-9 or A-Z or blank.

Low voltage DC component fans, Models MM1865H24, MM1865H48, MM2072H24, MM2072H48, MM2260H24, MM2260H48, MM2280H24, MM2280H48, MM22580H24, MM22580H48, MM2589H24, MM2589H48, MM28080H24, MM28080H48.

Marking: Company name or tradename "Mechatronics" and model designation.

Last Updated on 2014-08-25

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2014 UL LLC

When the UL Leaf Mark is on the product, or when the word "Environment" is included in the UL Mark, please search the [UL Environment database](#) for additional information regarding this product's certification.

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2014 UL LLC".